

# SAFETY DATA SHEET

# 1. Identification

in idontinoution	
Product identifier	NAVIGATOR
Other means of identification	
SDS number	575N-075A
Product code	HIL00536
Recommended use	Floor Finish
Recommended restrictions	None known.
Manufacturer/Importer/Supplier/	Distributor information
Manufacturer	
Manufacturer	
Company name	
Address	302 North Fourth St. St. Joseph, MO 64501
Contact person	Regulatory Affairs
Telephone number	(816) 233-1321 (Ext. 8285)
Fax	(816) 383-8485
E-mail	regulatoryaffairs@hillyard.com
Emergency telephone #	(800) 424-9300
	(Only in the event of chemical emergency involving a spill, leak, fire, exposure or accident involving chemicals)
2. Hazard(s) identification	
Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Hazardous to the aquatic environment, acute Category 3 hazard
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	Harmful to aquatic life.
Precautionary statement	
Prevention	Avoid release to the environment.
Response	If in eyes, flush with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Storage	Store away from incompatible materials.
Disposal	Buyer assumes all risk and liability associated with disposal of this product (original concentration or dilution) in violation of applicable law in compliance with applicable federal, state and local requirements.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	Use With Adequate Ventilation. Avoid breathing vapors or spray mist. Open windows and doors, use exhaust fans or other means to insure fresh air entry during application and drying.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
2-(2-ethoxyethoxy)ethanol		111-90-0	3 - < 5

Chemical name	Common name and synonyms	CAS number	%
Tributoxyethyl Phosphate		78-51-3	1 - < 3
Other components below report	able levels		90 - 100
Designates that a specific chemic	al identity and/or percentage of composition has b	een withheld as a trade se	ecret.
4. First-aid measures			
nhalation	Move to fresh air. Call a physician if symptoms d	evelop or persist.	
Skin contact	Wash off with soap and water. Get medical atter	tion if irritation develops a	nd persists.
Eye contact	Rinse with water. Get medical attention if irritatio	n develops and persists.	
ngestion	Rinse mouth. Get medical attention if symptoms	occur.	
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary ir	ritation.	
Indication of immediate medical attention and special treatment needed	Treat symptomatically.		
General information	Ensure that medical personnel are aware of the protect themselves.	material(s) involved, and t	ake precautions to
5. Fire-fighting measures			
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon	dioxide (CO2).	
Jnsuitable extinguishing nedia	Do not use water jet as an extinguisher, as this v	vill spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be for	ormed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full prote	ective clothing must be wo	rn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so v	vithout risk.	
Specific methods	Use standard firefighting procedures and conside	er the hazards of other inv	olved materials.
General fire hazards	No unusual fire or explosion hazards noted.		
6. Accidental release meas	sures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people appropriate protective equipment and clothing du authorities should be advised if significant spillag see section 8 of the SDS.	iring clean-up. Ensure ade	equate ventilation. L
Methods and materials for	This product is miscible in water.		
containment and cleaning up	Largo Spille: Stop the flow of material, if this is w	ithout rick. Dike the apillor	I matarial whore thi

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent product from entering drains. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid **Environmental precautions** discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

# 7. Handling and storage

Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective Precautions for safe handling equipment. Avoid release to the environment. Observe good industrial hygiene practices. Store in original tightly closed container. Store away from incompatible materials (see Section 10 Conditions for safe storage, of the SDS). including any incompatibilities

# 8. Exposure controls/personal protection

## **Occupational exposure limits**

## US. AIHA Workplace Environmental Exposure Level (WEEL) Guides

Components	Type	Value
2-(2-ethoxyethoxy)ethanol (CAS 111-90-0)	TWA	140 mg/m3
		25 ppm
Biological limit values	No biological exposure limits noted for	or the ingredient(s).
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.	
Individual protection measures	, such as personal protective equipm	ent
Eye/face protection	Chemical splash goggles where ther	e is a potential for eye contact.
Skin protection		
Hand protection	Not normally needed.	
Other	Not normally needed.	
<b>Respiratory protection</b>	Not normally needed. If ventilation is	insufficient, suitable respiratory protection must be provided.
Thermal hazards	None known.	
General hygiene considerations		ne measures, such as washing after handling the material noking. Routinely wash work clothing and protective

# 9. Physical and chemical properties

Appearance	Milky white liquid
Physical state	Liquid.
Form	Liquid.
Color	Milky white
Odor	non-objectionable odor
Odor threshold	Not available.
рН	8 - 9
Melting point/freezing point	Not applicable / Not available
Initial boiling point and boiling range	> 200 °F (> 93.33 °C)
Flash point	> 200.0 °F (> 93.3 °C) Tag Closed Cup
Evaporation rate	< 1 Ethyl ether=1
Flammability (solid, gas)	Not available.
Upper/lower flammability or expl	losive limits
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	17.5 mm Hg
Vapor density	1.092 Air=1
Relative density	1.0292 at 77°F
Solubility(ies)	
Solubility (water)	100 %
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	8.57 lb/gal

Percent volatile	79 - 81 %
VOC (Weight %)	0.85 % CARB VOC
	4.95 % EPA VOC

# 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

# 11. Toxicological information

#### Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.

## Information on toxicological effects

#### Acute toxicity

Product	Species	Test Results
NAVIGATOR		
Acute		
Oral		
LD50	Guinea pig	44444.4453 mg/kg estimated
	Mouse	160.4878 g/kg estimated
	Rabbit	88292.6797 mg/kg estimated
	Rat	33125.125 mg/kg estimated
Components	Species	Test Results
2-(2-ethoxyethoxy)ethanol (CA	S 111-90-0)	
Acute		
Dermal		
LD50	Rabbit	8476 mg/kg
	Rat	6000 mg/kg
Oral		
LD50	Mouse	6.58 g/kg
	Rat	1920 mg/kg
Tributoxyethyl Phosphate (CAS	\$ 78-51-3)	
Acute		
Oral		
LD50	Guinea pig	3000 mg/kg
	Rat	3000 mg/kg
* Estimates for product ma	y be based on additional component da	ata not shown.
Skin corrosion/irritation	Prolonged skin contact may cause	e temporary irritation.

Serious eye damage/eye irritation

Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization	1	
<b>Respiratory sensitization</b>	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cause sk	in sensitization.
Germ cell mutagenicity	No data available to indicate product or a mutagenic or genotoxic.	any components present at greater than 0.1% are
Carcinogenicity	This product is not considered to be a ca	rcinogen by IARC, ACGIH, NTP, or OSHA.
US. OSHA Specifically Regu Not listed.	Ilated Substances (29 CFR 1910.1001-10	950)
Reproductive toxicity	This product is not expected to cause rep	productive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	
Chronic effects	Prolonged inhalation may be harmful.	
12. Ecological information	1	
Ecotoxicity	Harmful to aquatic life.	
Product	Species	Test Results
NAVIGATOR		
A		

NAVIGATOR			
Aquatic			
Crustacea	EC50	Daphnia	124.4712 mg/l, 48 hours estimated
Fish	LC50	Fish	391.833 mg/l, 96 hours estimated
Components		Species	Test Results
2-(2-ethoxyethoxy)eth	anol (CAS 111-90-0	))	
Aquatic			
Fish	LC50	Bluegill (Lepomis macrochirus)	> 10000 mg/l, 96 hours
Tributoxyethyl Phosph	nate (CAS 78-51-3)		
Aquatic			
Fish	LC50	Fathead minnow (Pimephales promelas)	10.4 - 12 mg/l, 96 hours

\* Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

# **Bioaccumulative potential**

Partition coefficient n-octane	ol / water (log Kow)	
2-(2-ethoxyethoxy)ethanol		-0.54
Tributoxyethyl Phosphate		3.75
Mobility in soil	No data available.	

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

# 13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations. Buyer assumes all risk and liability associated with disposal of this product (original concentration or dilution) in violation of applicable law.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Triple rinse (or equivalent). Then offer clean, dry container for recycling or reconditioning.

# 14. Transport information

#### DOT

Not regulated as dangerous goods.

US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communicatio Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.
TSCA Section 12(b) Export Not regulated.	Notification (40 CFR 707, Subpt. D)
CERCLA Hazardous Substa	ance List (40 CFR 302.4)
Not listed.	
SARA 304 Emergency relea	ase notification
Not regulated.	
US. OSHA Specifically Reg	ulated Substances (29 CFR 1910.1001-1050)
Not listed.	
Superfund Amendments and Re	eauthorization Act of 1986 (SARA)
Hazard categories	Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No
SARA 302 Extremely hazar	dous substance
Not listed.	
SARA 311/312 Hazardous chemical	Νο
SARA 313 (TRI reporting) Not regulated.	
Other federal regulations	

Safe Drinking Water Act Not regulated. (SDWA)

#### US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100) Not listed.

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

**US. Rhode Island RTK** 

Not regulated.

**US. California Proposition 65** 

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### International Inventories

Country(s) or region	Inventory name
United States & Puerto Rico	Toxic Substances Control Act (

On inventory (yes/no)\*

(TSCA) Inventory \*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

Issue date	08-26-2015
Version #	01

Yes

Disclaimer

Health: 0 Flammability: 0 Physical hazard: 0

No representations or warranties, either express or implied, of merchantability, fitness for a particular purpose, or of any nature are made with respect to the product(s) or information contained in this material safety data sheet. The information and recommendations contained in this Material Safety Data Sheet are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. All information contained herein is presented in good faith and is believed to be appropriate and accurate. The buyer or user assumes all risks associated with the use, misuse or disposal of this product. The buyer or user is responsible to comply with all federal, state or local regulations concerning the use, misuse or disposal of these products.